Lighten Up ... Your Blasting Risk The Importance of Good Recordkeeping M. Bowling - Friedman Leak PA





Introduction

- Keeping good records is an absolute pre-requisite to winning any quarry/nuisance lawsuit.
- While we as lawyers love to take credit for trial victories, the truth is that quarry cases are really won or lost long before suit is filed.
- People are suspicious about things they don't understand.
- This is especially true for things they perceive as dangerous; like the use of explosives and quarry operations.



Introduction

- Jurors and judges draw from their own experiences when analyzing any new situation.
- Almost everyone makes decisions based on first impressions or perceptions and these first impressions or perceptions are almost impossible to overcome.
- When people are faced with deciding whether something is wrong or dangerous, the first question they ask is whether the company has followed the law.
- Perception is reality.







Quarry Litigation

- Quarry cases can be difficult to win.
- Changes in public perception about quarrying and blasting have made cases more difficult to defend.
 - ✓ Public perception has changed in recent years because of growth in the quarrying and mining industry.
 - ✓ There are now more quarry operations in close proximity to people's homes than ever before.



Quarry Litigation

- ✓ More people have also had to deal with blasting and construction because of highway projects, shopping center construction and coal mines.
- ✓ No one wants to live near a quarry.
- ✓ The internet allows plaintiffs to easily tell their story to the public at large.
- ✓ This change is evidenced by negative stories in the media and blatant attempts by plaintiffs' lawyers to generate blasting litigation.















Why following the law and accurate recordkeeping is important

- We are guilty until proven innocent.
- Plaintiffs try to take advantage of this by playing on these perceptions.
- They now video blasts because they realize they look worse than they are.
- They also now realize showing we violated the law or our own rules is key to winning the case.
- Inaccurate records, even if they don't reflect a violation, play on people's suspicions and affect their perception about whether we are causing damage.
- Accurate records are a must to win any case.



How accurate records help

- If we have a clean history and good records we can pressure the regulatory authorities to help us defend these cases.
- Some examples of what can divert attention from the real issue;
 are we damaging the plaintiffs with dust, noise, etc.





STATE OF ALABAMA

SURFACE MINING COMMISSION

Pt. OL BOOK \$500 - AARPETS, ALABAMA MISSO-STITE (MOS) \$251.4500

June 28, 2004

Re: Blasting complaint near Graysville, Al

Mr. Richard McFalls Carr & Assoc. Engineers 2052 Oak Mtn. Drive Pelham. AL 35124

Dear Mr. McFalls:

As you requested, I have sent you the accompanying map and the following information on my investigation of blasting complaints on Pine Hill Drive. The mine apparently arousing the complaints is the complaints is the complaints in the complaints is the complaints in the complaints is the complaints in the complaints in the complaints is the complaints in the complaints in the complaints is the complaints of the complaints in the complaints of the complaints of the complaints of the complaints of the complaints in the complaints

The map is more for illustrative purposes than for measurements. I did GPS my most recent complainant's home and what I take to be the nearest point on the active highwall. They are over 6000 feet apart. Because of the great distances from the blast sites to the homes, both the ground vibrations and air overpressures are very low frequency. The air overpressures would largely be below the threshold of human hearing but would create resonance in houses which would be mistaken for ground vibrations. As I noted above, however, I haven't seen anything in my monitoring to suggest there might be blasting damage in the neighborhood, nor would I attribute to blasting any of the conditions I have observed at the complainants houses. If I can be of any further help, please don't heaitate to call.

Sincerely,





STATE OF ALABAMA

SURFACE MINING COMMISSION

P. O. BOX 2380 — JAEPER, ALABAMA 20002-2300 (200) 221-4130

April 2, 2002

CERTIFIED MAIL

JASPER AL 35503

Dear Mr.

RE: Blaster Certification No:

On March 13, 2002, an inspection of permit peak particle ground vibration limits for blasting operations had been exceeded on March 11, 2002. Notice of Violation 02-RTW-002 was issued to and yourself for you signed the records as being the blaster in charge for the shot in question. On June 8, 2001, you were issued a warning letter because you were the supervisor over blasting operations that exceeded peak particle velocity limits on May 23rd, 25th, 30th and 31st of the year 2001.

Please be advised that a hearing has been scheduled to review your continued certification as a certified blaster in light of the above described violations of the blasting regulations. The hearing will be April 25, 2002, at 10:00 a.m. at the offices of the Alabama Surface Mining Commission. The office is located in the Pinnacle Bank Building in downtown Jasper. The purpose of this hearing will be to determine whether or not your certification should be suspended or revoked.

The hearing will be presided over by Director Randali C. Johnson and will be open to the public. You may be represented by an attorney or other representative of your choice should you so desire.

Your failure to attend this hearing may result in the immediate revocation of your blaster certification and surrender of your certificate to the Alabama Surface Mining Commission.

Sincerely,

Robert Allen

Assessment Officer

/eap



			м эпрриеззнов	prema			
	04		W	ather Condition	W Immin	CIAZ	
nployee					2.27	016.1	_
mpioyee ime:	Jan /	,			-		_
pervisor's	Jay (m	12		P	01-6		1000
tials .	,		_	Det	9/25/18	Shift	: /2
De condisio	niemer ab a c						
	I WELL CHICK BE COLLESDON	ding bea. If spr.	res are defective.	mark X is the	has and d		
erce Codes	water Spray Locations	is desired spray	h	1	The describe	corrective action	s below,
	oben't recures.	persons produced?		In wantle weelingpost?	Is there sufficient	Beriap cacionerus	
	Jaw crusher			anning part	ment promote?	*dequent?	Art spare spray Flock?
		Y15	4.05	Ye5	1	-	
	Jaw crusher discharge		7.0)	7.7	Yes	1/4	N. A. au
		Ves	10			-	Notar
ľ	Crusher feed	V .	/	YC5	Y85	N/A	
	Crusher discharge	Yes	405	Yes		/0	
	Crosses discharge	N/I	-	713	415	N/A	
IT	bry screen docharge	101			_	N/A	
	,					10//1	_
-		. 1			- 1		-
- 1							
					-		
			-				
-		1		1			_
- 1	4. 1			-			
_							
	- 1				_	-	
						- 1	
_		-	- 1			-	_
- 1							'
_				- 1	- 1		-
			-				
						- 1	
			- 1				
- 1							
Action (No.	francisco de la constitución de			- 1			
:	dy supervisor il sey poblessa sec Sons	of that causes be come	reted instructionally or it	spect parts are presi	ed t		
.,1							
7 00	11. h Hozm	si dis	ch	f			_
,	11 h H-2~		200	1597	Jarking.		
7. 7							
				11			
				1/			
				4V			
	1.1						
D-CS Town		-					
	-	Revisor, 09/20	O4 Coots	er Sevironment Se	rviore		
		Lettele Record 6				T North	Station In
	ir Quality Possis # 4-07	Artain Record for 5 -0498-001-02	Seed.	penij er sonadao			Station Plans 904DSI





		Das	t Suppression	Inspection			
	1		. We	other Condition	· Clra		
est .	04 /		2.4		-110	1/	- "
aployer	Dur						-
me: pervisor's	PH.1.p	Main	< . ·	Date	9-15-0	6 Shim	22
tialu		/					
							,
me condine	o is met, check the correspon	ding bez. If spra	rvi art defective.	mark X is the l	es and describe	corrective action	of below
urce Codes	Water Spray Locations*	ix desired spray	ls spray directed terrord material?	lo socie serioggod?	is there selficient water presented	Partisp cocleaners	
	Jaw crasher	1/11	10.	123	-		max:
	Jaw erusker discharge		17-5	111	145	NA	Nort
		1/75	405	Y25	Vr5		. 4
	Crusher feed	YT 5	Yr5 .	V74	1.6		
	Crusher discharge	,	/ (/	177	Vr7	1.1	
	Dry screen discharge	110 -					
	no y mices amenige	NO -					
٠. ا							
				200			
2	to design the second				-		
							-
-							
				- 1	.]		
-							
		-					
rvs Actions (N	lendy supervises if any problems are f						
- '	Ve 5000	Ber	6.	16.2			
			T-A/	Halen	4		
		· · · · · ·					
						,	
		47 1			1	1	
			-		7		
EMS Tons	-	Arrison 050	29/94 C-	cust Invitament	· ·		
		Acrain Record to		THE PERSON NAMED IN	JAN TACKS	D.	extinution: Plant



, .		Dus	t Suppression	Inspection			
			ther Conditions:				
	04						
Employee Name:	Jan						
Supervisor's	Joey Cale	٧		Date	N4/01	SLIA	150
initials						- Suite	
2 the condition	on is met, check the correspon	dier bor. If spra	vs are defective.	mark X in the b	ex and describe	correction and a	
Source Codes	Water Spray Locations*	In desired spray	Jis spray directed	la weezle	Is there reflicion		
		petiers produced?	toward material?	weckegged?	water prosent?	Hartop caclosares adequate?	Arrapari sprnya in
	Jam ciaspet.		1/				
	Jaw crusher discharge	1					
	Crusher feed	-			· V		
		V.	V.	L-	1/		
	Crusher discharge	X	X	X	7		
	Dry screen dacharge	/					
		· 1					
			-	-	1, 17		
-							
			-				
-			-				
				- 1	1.	1.	
ective Actions (N	celly supervises if any problems are for	and that transcribe con	retted instaclasely or	if space parts are not	ded I:		
Behore	sprayers	en 1/a	Vary (Variat	WOLL	k, ·	
			-		14 1		
				,	_	-	
val ID4S Tom		-					
		Revisor: 1962 Remin Record for		sect Environmental S	iervicus .		eribation Plant
we is required b		07-0498-001-02		permit or wavenders	em denick Oct	ID: 1. 10, 2003	0904DSI



1		Dos	Suppression Wes	Inspection	e e		
aut Employee Name: Supervisor's initials	Juy Call	۷	-	Dete	10/5/00	Shife	15-3
lf the condition	o is met, check the correspon	dine bes. Haper	vs are defective.	mark X in the b	93 and describe	corrective serios	s below,
	Water Spray Locations*	In desired spray perture produced?	le spray directed terrard meterial?	is somic sediagon?	in there selficies: water present?	Baring cactorary adequace?	Are spare aperage mode?
	Jaw crasher	1	V	V-	1		
	Jaw erusher discharge	-	V				
	Crusher feed	V	V.	V			
	Cruster discharge	-					
	Dry screen discharge						
				-			
		-					
				-	-		
		21.7				-	
			7 .				
RETCUM Actions (N	outly supervises if any problems are to	und that causes be on	Oroted insteadancly or	if speed parts and not	uted.).		
leving	Hayges Mt	strak	3 -				
			<u> </u>				
proved D43 Fram	y Air Quality Ferna #	Review,000 Renais Record & 07-0498-001-02	or Sycara.	ent feriousual pensi e secole			ortholog Plant 0904DSJ



		Dușt	Suppression !	laspection			
		-	Wea	ther Conditions:			
Plant	04						
Employee Name: Supervisor's	Juf Cule			Dete:	10/06/06	Shift	150
initials							
If the condition	is met, check the correspon	ding box. If spra	va are defective.	mark X is the b	or and describe	corrective action	s below.
Source Codes	Water Spray Locations*	Is desired spray patters produced?	, is sprey directed present meterial?	is notice enclogated?	is there sofficient water pressers?	Burisp encloserus adoqueta?	Art spare apreys is stock?
	Jaw crasher	/		V	V-	Z	
	Jaw. crusber discharge	1	-	~		-	
	Crusher feed	_	V.	1/	~	1	
	Crusher discharge	X					
	Dry screen discharge						
							1 1
							,
-			. '				
	· .						
				-			
			-				
-							
PORTEY Assess ()	Northly expression if my problems up it	read that respect be so	Citial impediately of				
The O	on Known do		orand speediately of		· .		
			- '				
		1, 1					
preval: Dell Town			73.0		-		
	by Air Quality Fermi # 4	Revisor 99 Retain Record (-07-0498-001-07	lw 5 years. 2	provit or amenda			0904DSI



		Dust	Suppression I	nspection			
Site:			West	her Conditions:	Clean		Ē
Pinet:	04						
Employee Name: Supervisor's initials	Aliza Spai	5		Date:	1-30-0	€ Shin:	150
If the conditio	n is met, check the correspon	ding box. If spre	ys are defective,	mark X in the b	ox and describe	surrective action	s below
Source Codes	I	In desired spray pattern produced?	, Is appray dissected toward material?	Is exacte unclarged?	Is there safficient water pressure?		Are spare sprays in steek?
	Jaw crusher	1	·		_		1
	Jaw crusher discharge	1	1	-		-	1
-	Crusher feed	_	-	-	-		-
	Crusher discharge	-	V	1/	-	1.	
	Dry screen discharge	×	×	X	X	V	X
	,	1			/	7	
							-
		1					-
						7	
							1
Constitue Action	s (bloody reportions if any problems or	found that cannot be	corrected immediately	or if space parts are	needed.):		
			,				
			-				
			-				1
1.00							
Approval: EMS T	ired by Air Quality Parasit #	Retain Reco	ed for 5 years.	Contact: Environme			Distribution: Plant ID: 0904DSI
	and the state of t	4-07-0498-001 This possit is execude	-CLE d vanify water spray to	permit or an estima with revised:	endmont datust: emenderweg	Oct. 10, 2003	



		Dust	Suppression b	spection		DIF	
lter			Weat	ber Conditions:	clar	4	
lant:	04						
mployee lame: upervisor's ritials	PHILIP SY	ien		Date:	1-720	7 sain:) IT.
the condition	n is met, check the correspon	ding box. If spra	ys are defective,	mark X in the b	ox and describe	corrective action:	s below.
ource Codes	l	Is desired spray pattern produced?	. Is spray directed toward material?	Is noted unclugged?	Is there sufficient water presents?		Are spare sprays in study?
	Jaw crusher	1		-			
	Jaw crusher discharge	-	~	1			
	Crusher feed	1	<u> </u>		-		C
	Crusher discharge	-		· 1/		_	_
	Dry screen discharge						
							1
			l				
					- ,		
terrective Actio	na (Notify supervisor if any problems o	re found that connet b	e concerted insunctiated	y or X spare parts are	neofed.);		
			-				-
Approval IDES	Team		e:09/29/04 and for 5 years.	Contact Environme	ental Servicus		Distribution: Flor ID: 0904DSI



100	Dust Suppression Inspection								
Site:			Weather Conditions: 4						
Plant	<u> </u>								
Employee Name:	Say Colac	N 4 +3		Dates	1-26-0	7 Shine:	222		
Supervisor's . initials									
If the conditio	a is met, check the correspon	ling box. If spra	ys are defective,	mark X in the b	ax and describe	corrective action	below.		
Source Codes	Water Spray Locations*	Is desired spray patters produced?	Is spray directed toward material?	Is nozzie unclogged?	Is there sufficient water pressure?	Are filten dess? (if present)	Are spere sprays is stock?		
	Jaw Crusher	V.	V	1	V		-		
	Belt C-I to C-2	V		レ					
	Crusher Feed	V			7				
	Crusher Discharge		-						
					-				
	·								
				·.					
	-					- 1			
	:	-							
Corrective Action	a (Notify supervisor if any problems or	found that cannot be	corrected insraediately	or if spure parts are:	needed.):				
Lots o	+ Dist Sto	~ M.	ung c	rskr.					
	· · · · · · · · · · · · · · · · · · ·								
· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	-							
Approval: EMS 1	Feato .		1:09/29/04 . and for 5 years.	Contact Environmen	stal Services		Distribution: Plans ID: 0904DSI		
This form is requ	ired by Air Quality Permit #		d verify water stone lo		endment dated: secondment.				



How accurate records help

- Good records allow us to play on people's perception that something that is legal is okay.
- It allows us to focus on what our operations look, feel, and sound like from the plaintiff's property.



- Quarry cases can be won
 - ✓ Compliance
 - ✓ Science
 - **✓** Explanation



How do we defend these claims?

Compliance

- ✓ Compliance equates to proper record keeping and following the rules.
- ✓ If we follow the rules we can rely on studies that say we cannot damage a home or cause health problems.
- ✓ The only way to prove compliance is through proper record keeping.
- ✓ Proper record keeping requires commitment, diligence and deliberateness.
 - Don't confuse commitment and involvement.
 - Don't confuse quickness with deliberate action.



Compliance

- ✓ Proper record keeping will help verify that:
 - We care about the public.
 - We follow our own rules.
 - We see the regulations as the minimum standard and hold ourselves to a higher standard.

Science

- ✓ If we comply with the law we can rely on studies and testing that shows we are not causing damage or health problems.
- ✓ Science requires the use of all available technology.



Science

- ✓ We must use seismographs that are properly calibrated, located and installed.
- Seismographs verify the science behind our blasting.
- ✓ Electronic detonators are becoming a "must do" if you plan on winning a blasting lawsuit.



Quarry Litigation: How Do We Defend These Claims?

Science

- ✓ With proper seismic readings we can compare the vibration levels caused by our blasting to vibrations caused by:
 - Slamming doors
 - Thunderstorms
 - Thermal heating and cooling
- ✓ Science also includes doing pre-blast surveys properly.
 - Before any blasting
 - Complete surveys



Explanation

- ✓ If we do the first two we can explain why we are not the problem.
- ✓ In blasting cases explanation requires proof of what caused the damage.
- ✓ We cannot dispute that the damage is there.
- ✓ In order to win a case, we must generally show what caused the damage.
 - It was there already
 - Caused by poor construction or poor maintenance
 - Natural settlement
 - Consistent with a house of this age



- Everyone has cracks and sometimes there is no evidence proving the damage was already there.
- In cases where there is no evidence the damage was there before our blasting, compliance and accurate records are the only way we can prove we did not cause the damage.



What you can do...

- Slow down !!
- Proofread
- Don't procrastinate; complete your reports on site.
- Make sure records are kept safe and secure.
- Voice any concerns before a problem develops: avoid the Stockholm Syndrome.
- A few extra minutes at the end of your long day can save the company thousands of dollars and a lot of legal headaches.



www.quarryacademy.com



Improving Processes. Instilling Expertise.



